

Enilconazole:

SCHEDULING STATUS: S1

CURRENTLY COMPOUNDED FORMULATION:

Active ingredient(s)	Injectable	Oral equine paste	Oral carnivore paste	Orals for exotics	Oral solution/suspension	Topical treatment	Shampoo	Tablets / Capsules	Oral powder
Enilconazole						✓			

REGISTERED PRODUCT/ TRADE NAME: Imaverol® (discontinued)

PHARMACOLOGICAL CLASSIFICATION: Antifungal

PHARMACOLOGICAL ACTION: Enilconazole is a synthetic antimycotic with a potent antifungal action against dermatophytes in cattle, horses and dogs.^[1]

INDICATION: For the treatment of dermatomycoses induced by pathogenic fungi.

DOSAGE AND DIRECTIONS FOR USE:

How to prepare the emulsion:

The concentrated suspension is diluted in 50 parts of lukewarm water, which yields a 0.2% emulsion.

DOGS:

Wash with the diluted emulsion 4 times at 3 to 4-day intervals. While doing this, one should rub thoroughly in the direction opposite to the hair growth to make sure that the skin is thoroughly wet. For the same reason, it is recommended to clip long-haired dogs before treatment.^[1]

HORSES:

The lesions and surrounding skin are washed with the diluted emulsion 4 times, at 3 to 4-day intervals.^[1]

CATTLE & WILDLIFE (extrapolated from cattle):

Depending on the nature of the lesions, cattle should be treated 3 to 4 times at 3 to 4-day intervals. Either the animals are washed with the diluted emulsion or the emulsion is applied to them with a sprayer or high-pressure cleaning unit.^[1]

WARNINGS/ PRECAUTIONS/ CONTRA-INDICATIONS:

- Do not store above 25 °C

REFERENCES:

1. MIMS IDR 2015/16, Volume 13